

Select Specifications



Product Name		Sech	Drei
VLT	Single	61%	35%
	Dual	54%	31%
VLR	Single	8%	13%
	Dual	12%	12%
SC	Single	0.50	0.33
	Dual	0.53	0.43
SHGC	Single	0.43	0.28
	Dual	0.46	0.37
IR Rej	Single	83%	98%
	Dual	83%	98%
UV Rej	Single	99%	99%
	Dual	99%	99%
TSER	Single	57%	72%
	Dual	54%	63%
Glare Red	Single	32%	61%
	Dual	41%	64%
U-Val	Single	0.99	1.03
	Dual	0.48	0.47

VLT - Visible Light Transmission

UV Rej - Ultraviolet Rejection

VLR - Visible Light Reflection

TSER - Total Solar Energy Rejected

SC - Shading Coefficient

Glare Red - Glare Reduction

SHGC - Solar Heat Gain Coefficient

U-Val - U-value

IR Rej - Infrared Rejection